



马胶工业有限公司成立于公元一九八九年一月五日。刚开始时，生产主业集中在汽车工业和工业用途的橡胶模压制品。直到一九九三年，购置了新的复合系统设施，将其业务扩展到制造复新轮胎原料。

目前，产品范围为国内与国外客户包括高温混合胶（卡车 / OTR业车），修补边胶，低温预硫胎面胶，中垫胶，修补胶条，初层次橡胶混合胶片与客户量身订造的橡胶化合物。

为了达到一致和可靠的质量，制造过程中的每一步，从原料采购，混合和挤出过程中，成型，胎面设计到包装，都经过仔细的管理。在其不断的努力与改善，在二零零五年，荣获ISO9001:2000 品质管理证书。



- Stringent and High Quality Control System
- In Accordance to International Standard
- Ensuring Reliability, Safety and Good Mileage
- 严谨和高品质的管理
- 符合国际标准
- 可靠，安全及良好性能的保证

Pre-cured Tread Liner design and rubber compound specifically formulated using finest ingredients to maximize on-the-road performance and safety at lowest cost per kilometer. It is the preferred choice by the most elite fleet managers that pursue continuous cost saving and top quality performance retread.

Maxrubber Industries Sdn Bhd (MRI) commenced production on 5th Jan 1989. The core manufacturing process then was mainly focused on rubber moulded products for automotive and industrial uses. Not until 1993, with the upgraded system of compounded facilities, MRI then expanded its business to manufacturing of tyre retreading materials. Presently, the range of products include Camelback (truck/OTR), Sidewall Veneer, Precured Tread Liner, Cushion Gum, Repair Rope, rubber masterbatch and tailored-made rubber compound which are produced for domestic and foreign customers.

In order to achieve consistent and reliable quality, every step of manufacturing process is carefully regulated ranging from purchasing of raw material, mixing and extrusion process, moulding, tread design to packaging. In its continuous effort to strive for improvement, MRI had obtained the award of ISO 9001:2000 in the year 2005 on its quality management system.

VISION 願景

To be a caring and responsible organization to its employees, customer and shareholders

樹立一個對員工，顧客及股東們有責任的團體。

MISSION 使命**Employee 員工**

Taking care of their general well-being and continuously upgrading and developing their skills.

照顧員工福利，提升技術的發展

Customers 顧客

Consistently providing quality products commensurate with fair price and prompt services.

提供高品質與價格合理的产品及快捷的服務

Shareholders 股東

Ensuring consistently fair return to their investment.

確保投資的合理回酬


Safety 安全

Committed to ensuring the safety of the products and for the workers.

致力于确保产品及员工的安全



Sidewall Veneer
修补边胶




Camelback (Truck/OTR)
高温混合胶(卡车/OTR业车)



Cushion Gum
中垫胶



Orbitread Strip
旋转型挤出胶条




Masterbatch
初层次橡胶混合胶片





Repair Rope
修补胶条


RIB PATTERN


CODE	宽度 WIDTH		沟深 TREAD DEPTH		重量 TREAD WEIGHT
	mm	inch	mm	inch	kg/m
M102					
M102 150	150	5 ²⁹ / ₃₂	13.0	³³ / ₆₄	2.58
M102 180	180	7 ³ / ₃₂	14.0	¹⁹ / ₃₂	2.89
M102 194	194	7 ⁴¹ / ₆₄	15.0	⁵ / ₈	3.36
M102 203	203	7 ⁶³ / ₆₄	16.0	⁵ / ₈	3.30
M102 210	210	8 ¹⁷ / ₆₄	16.0	⁵ / ₈	3.79
M102 215	215	8 ¹⁵ / ₃₂	16.0	¹⁹ / ₃₂	4.00
M102 220	220	8 ²¹ / ₃₂	15.0	⁵ / ₈	3.90
M102 230	230	9 ¹ / ₁₆	16.0	¹⁹ / ₃₂	4.19
M102 240	240	9 ²⁹ / ₆₄	15.0	⁵ / ₈	4.09
M102 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.16
M102 258	258	10 ⁵ / ₃₂	16.0	³³ / ₆₄	4.53
M110					
M110 194	194	7 ⁴¹ / ₆₄	16.0	⁵ / ₈	3.53
M110 215	215	8 ¹⁵ / ₃₂	16.0	⁵ / ₈	3.96
M110 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.37
M111					
M111 127	127	5	11.0	⁷ / ₁₆	1.71
M111 142	142	5 ¹⁹ / ₃₂	11.0	⁷ / ₁₆	2.10
M111 152	152	5 ⁶³ / ₆₄	11.0	⁷ / ₁₆	2.17
M111 163	163	6 ²⁷ / ₆₄	12.0	¹⁵ / ₃₂	2.40
M111 170	170	6 ¹¹ / ₁₆	13.0	³³ / ₆₄	2.87
M111 180	180	7 ³ / ₃₂	13.0	³³ / ₆₄	2.73
M111 195	195	7 ⁴³ / ₆₄	13.0	³³ / ₆₄	3.16
M111 203	203	7 ⁶³ / ₆₄	13.0	³³ / ₆₄	3.22
M111 215	215	8 ¹⁵ / ₃₂	14.5	³⁷ / ₆₄	4.01


CODE	宽度		沟深		重量	
	WIDTH		TREAD DEPTH		TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
M115 	M115 203	203	7 ⁶³ / ₆₄	12.0	¹⁵ / ₃₂	3.17
	M115 220	220	8 ²¹ / ₃₂	12.0	¹⁵ / ₃₂	3.45
	M115 230	230	9 ¹ / ₁₆	12.0	¹⁵ / ₃₂	3.60


M125 	M125 216	216	8 ¹ / ₂	15.0	¹⁹ / ₃₂	3.79
	M125 230	230	9 ¹ / ₁₆	15.0	¹⁹ / ₃₂	4.07


M135 	M135 210	210	8 ¹⁷ / ₃₂	16.0	⁵ / ₈	3.93
	M135 218	218	8 ³⁷ / ₆₄	14.0	³⁵ / ₆₄	3.56
	M135 220	220	8 ²¹ / ₃₂	15.0	¹⁹ / ₃₂	3.74
	M135 226	226	8 ⁵⁵ / ₆₄	14.0	³⁵ / ₆₄	3.63
	M135 230	230	9 ¹ / ₁₆	15.0	¹⁹ / ₃₂	4.04
	M135 240	240	9 ²⁹ / ₆₄	15.0	¹⁹ / ₃₂	4.19
	M135 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.51
	M135 258	258	10 ⁵ / ₃₂	16.0	⁵ / ₈	4.69
	M135 270	270	10 ⁵ / ₈₂	16.0	⁵ / ₈	5.03


M136 	M136 194	194	7 ⁴¹ / ₆₄	13.0	³³ / ₆₄	3.12
	M136 203	203	7 ⁶³ / ₆₄	13.0	³³ / ₆₄	3.32
	M136 219	219	8 ⁵ / ₈	13.0	³³ / ₆₄	3.65
	M136 240	240	9 ²⁹ / ₆₄	15.0	¹⁹ / ₃₂	4.36
	M136B 240	240	9 ²⁹ / ₆₄	18.0	⁴⁵ / ₆₄	5.04
	M136 260	260	10 ¹⁵ / ₆₄	15.0	¹⁹ / ₃₂	4.88

CODE	宽度		沟深		重量	
	WIDTH		TREAD DEPTH		TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
M138 	M138 194	194	7 ⁴¹ / ₆₄	14.0	³⁵ / ₆₄	2.83
	M138 210	210	8 ¹⁷ / ₆₄	14.0	³⁵ / ₆₄	3.39

M143 	M143 210	210	8 ¹⁷ / ₆₄	16.0	⁵ / ₈	3.87
	M143B 210	210	8 ¹⁷ / ₆₄	14.0	³⁵ / ₆₄	3.67
	M143 220	220	8 ²¹ / ₃₂	16.0	⁵ / ₈	4.03
	M143B 220	220	8 ²¹ / ₃₂	14.0	³⁵ / ₆₄	3.88
	M143 230	230	9 ¹ / ₁₆	16.0	⁵ / ₈	4.41
	M143B 230	230	9 ¹ / ₁₆	14.0	³⁵ / ₆₄	3.97
	M143 245	245	9 ⁴¹ / ₆₄	16.0	⁵ / ₈	4.58
	M143 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.77
	M143 260	260	10 ¹⁵ / ₆₄	16.0	⁵ / ₈	4.83

M148 	M148 219	219	8 ⁵ / ₈	19.0	³ / ₄	4.60
	M148 241	241	9 ³¹ / ₆₄	19.0	³ / ₄	5.13
	M148 266	266	10 ¹⁵ / ₃₂	19.0	³ / ₄	5.62

M161 	M161 180	180	7 ³ / ₃₂	9.0	²³ / ₆₄	2.29
--	----------	-----	--------------------------------	-----	-------------------------------	------

M166 	M166 385	385	15 ⁵ / ₃₂	10.0	²⁵ / ₆₄	5.70
--	----------	-----	---------------------------------	------	-------------------------------	------

SEMI RIB/LUG PATTERN



宽度





沟深





重量


CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
M104	M104 218	218	8 ³⁷ / ₆₄	17.0	4 ⁴³ / ₆₄	4.05
	M104 230	230	9 ¹ / ₁₆	17.0	4 ⁴³ / ₆₄	4.54
	M104 240	240	9 ²⁹ / ₆₄	17.0	4 ⁴³ / ₆₄	4.61
	M104 250	250	9 ²⁷ / ₃₂	17.0	4 ⁴³ / ₆₄	4.50
M105	M105 142	142	5 ¹⁹ / ₃₂	12.0	1 ¹⁵ / ₃₂	1.95
	M105 152	152	5 ⁶³ / ₆₄	13.0	3 ³³ / ₆₄	2.28
	M105 162	162	6 ³ / ₈	13.0	3 ³³ / ₆₄	2.47
M109	M109 180	180	7 ³ / ₃₂	15.0	1 ¹⁹ / ₃₂	2.79
	M109 195	195	7 ⁴³ / ₆₄	17.0	4 ⁴³ / ₆₄	3.63
	M109B 195	195	7 ⁴³ / ₆₄	15.0	1 ¹⁹ / ₃₂	2.91
	M109 208	208	8 ³ / ₁₆	16.0	5 ⁵ / ₈	3.36
	M109B 208	208	8 ³ / ₁₆	15.0	1 ¹⁹ / ₃₂	3.06
	M109 216	216	8 ¹ / ₂	15.5	3 ³⁹ / ₆₄	3.76
	M109 230	230	9 ¹ / ₁₆	16.0	5 ⁵ / ₈	4.09
	M109B 230	230	9 ¹ / ₁₆	15.5	3 ³⁹ / ₆₄	3.59
M109B 240	240	9 ²⁹ / ₆₄	15.5	3 ³⁹ / ₆₄	3.73	
M112	M112 216	216	8 ¹ / ₂	19.0	3 ³ / ₄	4.73
	M112 230	230	9 ¹ / ₁₆	19.0	3 ³ / ₄	4.87
	M112B 230	230	9 ¹ / ₁₆	17.0	4 ⁴³ / ₆₄	4.45
	M112 240	240	9 ²⁹ / ₆₄	19.0	3 ³ / ₄	5.06
	M112 250	250	9 ²⁷ / ₃₂	19.0	3 ³ / ₄	5.14
	M112B 250	250	9 ²⁷ / ₃₂	17.0	4 ⁴³ / ₆₄	4.83
M112 260	260	10 ¹⁵ / ₆₄	19.0	3 ³ / ₄	5.05	

CODE	宽度		沟深		重量	
	WIDTH		TREAD DEPTH		TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
 M113	M113 220	220	8 ²¹ / ₃₂	16.0	⁵ / ₈	3.69
	M113 232	232	9 ⁹ / ₆₄	17.0	⁴³ / ₆₄	4.10
	M113 242	242	9 ¹⁷ / ₃₂	16.0	⁵ / ₈	4.16
	M113 252	252	9 ⁵⁹ / ₆₄	17.0	⁴³ / ₆₄	4.35


 M116	M116B 210	210	8 ¹⁷ / ₆₄	19.0	³ / ₄	4.28
	M116 220	220	8 ²¹ / ₃₂	17.0	⁴³ / ₆₄	4.28
	M116B 220	220	8 ²¹ / ₃₂	20.0	²⁵ / ₃₂	5.13
	M116 230	230	9 ¹ / ₁₆	17.0	⁴³ / ₆₄	4.50
	M116B 230	230	9 ¹ / ₁₆	20.0	²⁵ / ₃₂	5.19
	M116 240	240	9 ²⁹ / ₆₄	17.0	⁴³ / ₆₄	4.75
	M116B 240	240	9 ²⁹ / ₆₄	20.0	²⁵ / ₃₂	5.44
	M116 250	250	9 ²⁷ / ₃₂	17.0	⁴³ / ₆₄	4.78
	M116B 250	250	9 ²⁷ / ₃₂	20.0	²⁵ / ₃₂	5.63


 M119	M119 210	210	8 ¹⁷ / ₆₄	16.0	⁵ / ₈	3.64
	M119 220	220	8 ²¹ / ₃₂	16.0	⁵ / ₈	3.85
	M119 230	230	9 ¹ / ₁₆	19.0	³ / ₄	4.86
	M119 240	240	9 ²⁹ / ₆₄	19.0	³ / ₄	4.96
	M119 250	250	9 ²⁷ / ₃₂	19.0	³ / ₄	5.16
	M119 260	260	10 ¹⁵ / ₆₄	19.0	³ / ₄	5.12
	M119 270	270	10 ⁵ / ₈	19.0	³ / ₄	5.57
	M119 280	280	11 ¹ / ₃₂	20.0	²⁵ / ₃₂	5.94


 M120	M120 230S	230	9 ¹ / ₁₆	19.0	³ / ₄	4.80
	M120 240S	240	9 ²⁹ / ₆₄	20.0	²⁵ / ₃₂	5.11
	M120 250	250	9 ²⁷ / ₃₂	23.0	²⁹ / ₃₂	5.72
	M120 250S	250	9 ²⁷ / ₃₂	20.0	²⁵ / ₃₂	5.19
	M120 260S	260	10 ¹⁵ / ₆₄	20.0	²⁵ / ₃₂	5.49


CODE	宽度		沟深		重量	
	WIDTH		TREAD DEPTH		TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
 M121	M121 225	225	8 ⁵⁵ / ₆₄	23.0	²⁹ / ₃₂	5.26
	M121 240	240	9 ²⁹ / ₆₄	23.0	²⁹ / ₃₂	5.71
	M121 250	250	9 ²⁷ / ₃₂	23.0	²⁹ / ₃₂	6.01
	M121 260	260	10 ¹⁵ / ₆₄	23.0	²⁹ / ₃₂	6.13


 M122	M122 210	210	8 ¹⁷ / ₆₄	14.0	³⁵ / ₆₄	3.58
	M122 220	220	8 ²¹ / ₃₂	14.0	³⁵ / ₆₄	3.64
	M122 230	230	9 ¹ / ₁₆	14.0	³⁵ / ₆₄	3.92
	M122 240	240	9 ²⁹ / ₆₄	14.0	³⁵ / ₆₄	4.17
	M122 250	250	9 ²⁷ / ₃₂	14.0	³⁵ / ₆₄	4.25


 M128	M128 203	203	7 ⁶³ / ₆₄	18.0	⁴⁵ / ₆₄	3.92
	M128 220	220	8 ²¹ / ₃₂	18.0	⁴⁵ / ₆₄	4.12
	M128 230	230	9 ¹ / ₁₆	18.0	⁴⁵ / ₆₄	4.27


 M130	M130 210	210	8 ¹⁷ / ₆₄	17.0	⁴³ / ₆₄	4.03
	M130 216	216	8 ¹ / ₂	17.0	⁴³ / ₆₄	4.17
	M130 230	230	9 ¹ / ₁₆	17.0	⁴³ / ₆₄	4.44
	M130 240	240	9 ²⁹ / ₆₄	17.0	⁴³ / ₆₄	4.51
	M130 250	250	9 ²⁷ / ₃₂	17.0	⁴³ / ₆₄	4.76


CODE	宽度 WIDTH		沟深 TREAD DEPTH		重量 TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
	M144 195	195	7 ⁴³ / ₆₄	16.0	⁵ / ₈	3.66
	M144 210	210	8 ¹⁷ / ₆₄	16.0	⁵ / ₈	4.13
	M144 220	220	8 ²¹ / ₃₂	18.0	⁴⁵ / ₆₄	4.28
	M144 230	230	9 ¹ / ₁₆	18.0	⁴⁵ / ₆₄	4.45
	M144 240	240	9 ²⁹ / ₆₄	18.0	⁴⁵ / ₆₄	4.70
	M144 250	250	9 ²⁷ / ₃₂	18.0	⁴⁵ / ₆₄	4.88
	M144 270	270	10 ⁵ / ₈	18.0	⁴⁵ / ₆₄	5.28


	M149 203	203	7 ⁶³ / ₆₄	17.0	⁴³ / ₆₄	4.01
	M149 220	220	8 ²¹ / ₃₂	17.0	⁴³ / ₆₄	4.19
	M149 230	230	9 ¹ / ₁₆	17.0	⁴³ / ₆₄	4.39


	M150 205	205	8 ⁵ / ₆₄	14.0	³⁵ / ₆₄	3.50
--	----------	-----	--------------------------------	------	-------------------------------	------


	M152 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.47
---	----------	-----	---------------------------------	------	-----------------------------	------


CODE	宽度 WIDTH		沟深 TREAD DEPTH		重量 TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
	M152B 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.75


	M153 180	180	7 ³ / ₃₂	15.0	¹⁹ / ₃₂	3.10
	M153 195	195	7 ⁴³ / ₆₄	15.0	¹⁹ / ₃₂	3.29
	M153 210	210	8 ¹⁷ / ₆₄	15.0	¹⁹ / ₃₂	3.31


	M154 220	220	8 ²¹ / ₃₂	19.0	³ / ₄	4.68
	M154 230	230	9 ¹ / ₁₆	19.0	³ / ₄	4.77


	M156 230	230	9 ¹ / ₁₆	18.0	⁴⁵ / ₆₄	4.55
	M156 240	240	9 ²⁹ / ₆₄	18.0	⁴⁵ / ₆₄	4.75
	M156 250	250	9 ²⁷ / ₃₂	18.0	⁴⁵ / ₆₄	4.91
	M156 258	258	10 ⁵ / ₃₂	22.0	⁵⁵ / ₆₄	6.23


CODE	宽度		沟深		重量	
	WIDTH		TREAD DEPTH		TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
M157 	M157B 220	220	8 ²¹ / ₃₂	19.0	³ / ₄	4.33
	M157B 230	230	9 ¹ / ₁₆	19.0	³ / ₄	4.52
	M157B 240	240	9 ²⁹ / ₆₄	19.0	³ / ₄	4.63
	M157B 250	250	9 ²⁷ / ₃₂	19.0	³ / ₄	4.75
	M157 270	270	10 ⁵ / ₈	20.0	²⁵ / ₃₂	6.06
	M157 280	280	11 ¹ / ₃₂	20.0	²⁵ / ₃₂	6.50


M159 	M159 262	262	10 ⁵ / ₁₆	21.0	⁵³ / ₆₄	6.07
	M159 272	272	10 ⁴⁵ / ₆₄	21.0	⁵³ / ₆₄	6.22
	M159 282	282	11 ⁷ / ₆₄	21.0	⁵³ / ₆₄	6.38


M162 	M162 203	203	7 ⁶³ / ₆₄	9.0	²³ / ₆₄	2.77
	M162 220	220	8 ²¹ / ₃₂	9.0	²³ / ₆₄	3.02
	M162 230	230	9 ¹ / ₁₆	9.0	²³ / ₆₄	3.08


M163 	M163 230	230	9 ¹ / ₁₆	22.0	⁵⁵ / ₆₄	5.22
	M163 240	240	9 ²⁹ / ₆₄	22.0	⁵⁵ / ₆₄	5.55
	M163 250	250	9 ²⁷ / ₃₂	22.0	⁵⁵ / ₆₄	5.71
	M163 260	260	10 ¹⁵ / ₆₄	22.0	⁵⁵ / ₆₄	5.83

CODE	宽度		沟深		重量	
	WIDTH		TREAD DEPTH		TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
M164 	M164 142	142	5 ¹⁹ / ₃₂	14.0	³⁵ / ₆₄	2.41
	M164 152	152	5 ⁶³ / ₆₄	15.0	¹⁹ / ₃₂	2.33
	M164 160	160	6 ¹⁹ / ₆₄	15.0	¹⁹ / ₃₂	2.79
	M164 180	180	7 ³ / ₃₂	17.0	⁴³ / ₆₄	3.48
	M164 190	190	7 ³¹ / ₆₄	17.0	⁴³ / ₆₄	3.70

M165 	M165 240	240	9 ²⁹ / ₆₄	20.0	²⁵ / ₃₂	5.34
	M165 250	250	9 ²⁷ / ₃₂	20.0	²⁵ / ₃₂	5.52

M167 	M167 190	190	7 ³¹ / ₆₄	15.0	¹⁹ / ₃₂	4.05
--	----------	-----	---------------------------------	------	-------------------------------	------

M168 	M168 190	190	7 ³¹ / ₆₄	15.0	¹⁹ / ₃₂	2.71
	M168 215	215	8 ¹⁵ / ₃₂	15.0	¹⁹ / ₃₂	3.06

M169 	M169 230	230	9 ¹ / ₁₆	17.0	⁴³ / ₆₄	4.94
	M169 240	240	9 ²⁹ / ₆₄	17.0	⁴³ / ₆₄	5.15
	M169 250	250	9 ²⁷ / ₃₂	18.5	⁴⁷ / ₆₄	5.52

SEMI RIB/LUG PATTERN



宽度



沟深



重量

CODE WIDTH TREAD DEPTH TREAD WEIGHT
 mm inch mm inch kg/m



M170

M170 325	325	12 ⁵¹ / ₆₄	19.0	³ / ₄	6.60
----------	-----	----------------------------------	------	-----------------------------	------



M201


M201 160	160	6 ¹⁹ / ₆₄	17.0	⁴³ / ₆₄	3.07
M201 170	170	6 ¹¹ / ₁₆	17.0	⁴³ / ₆₄	3.15
M201 180	180	7 ³ / ₃₂	17.0	⁴³ / ₆₄	3.49
M201 190	190	7 ³¹ / ₆₄	17.0	⁴³ / ₆₄	3.61
M201 200	200	7 ⁷ / ₈	17.0	⁴³ / ₆₄	3.71
M201 206	206	8 ⁷ / ₆₄	18.0	⁴⁵ / ₆₄	4.07
M201 220	220	8 ²¹ / ₃₂	18.0	⁴⁵ / ₆₄	4.40
M201 230	230	9 ¹ / ₁₆	18.0	⁴⁵ / ₆₄	4.69
M201 240	240	9 ²⁹ / ₆₄	18.0	⁴⁵ / ₆₄	4.82
M201 250	250	9 ²⁷ / ₃₂	18.0	⁴⁵ / ₆₄	4.95
M201 260	260	10 ¹⁵ / ₆₄	18.0	⁴⁵ / ₆₄	5.13
M201 272	272	10 ⁴⁵ / ₆₄	18.0	⁴⁵ / ₆₄	5.65





M219


M219 220	220	8 ²¹ / ₃₂	17.0	⁴³ / ₆₄	4.07
M219 230	230	9 ¹ / ₁₆	17.0	⁴³ / ₆₄	4.25


LUG PATTERN


CODE	宽度 WIDTH		沟深 TREAD DEPTH		重量 TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
		M101 198	198	7 51/64	20.0	25/32
	M101 215	215	8 15/32	20.0	25/32	4.88
	M101 230	230	9 1/16	21.0	53/64	5.14
	M101 240	240	9 29/64	21.0	53/64	5.47
	M101 252	252	9 59/64	22.0	55/64	6.04


	M103 198	198	7 51/64	23.0	29/32	4.75
	M103 205	205	8 5/64	25.0	63/64	5.10
	M103 220	220	8 21/32	25.0	63/64	5.64
	M103B 220	220	8 21/32	21.0	53/64	4.63
	M103 240	240	9 29/64	23.0	29/32	5.83
	M103 250	250	9 27/32	25.0	63/64	6.14

	M106 198	198	7 51/64	22.0	55/64	4.90
	M106 205	205	8 5/64	21.0	53/64	5.15

	M107 195	195	7 43/64	18.0	45/64	4.04
	M107 205	205	8 5/64	17.0	43/64	3.88
	M107 215	215	8 15/32	20.0	25/32	5.06
	M107 230	230	9 1/16	22.0	55/64	5.30

CODE	宽度 WIDTH		沟深 TREAD DEPTH		重量 TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
		M108 142	142	5 19/32	13.0	33/64
	M108 152	152	5 63/64	14.0	35/64	2.45
	M108 160	160	6 19/64	14.0	35/64	2.54
	M108 170	170	6 11/16	14.0	35/64	2.95
	M108 180	180	7 3/32	15.0	19/32	3.08
	M108 194	194	7 41/64	17.0	43/64	3.62
	M108 194B 194B	194B	7 41/64	15.0	19/32	3.32
	M108 205	205	8 5/64	17.0	43/64	3.77
	M108 210	210	8 17/64	16.0	5/8	3.70
	M108 215	215	8 15/32	16.0	5/8	3.66
	M108 230	230	9 1/16	16.0	5/8	3.87
	M108 240	240	9 29/64	16.0	5/8	4.20
	M108 250	250	9 27/32	16.0	5/8	4.47

	M132 210	210	8 17/64	19.0	3/4	4.32
	M132 220	220	8 21/32	19.0	3/4	4.33
	M132 230	230	9 1/16	19.0	3/4	4.63
	M132 240	240	9 29/64	19.0	3/4	4.79

	M133 216	216	8 1/2	20.0	25/32	4.41
	M133 230	230	9 1/16	20.0	25/32	4.84

LUG PATTERN



宽度



沟深



重量

CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT
	mm	inch	mm	inch	kg/m



M141

M141 250	250	9 ²⁷ / ₃₂	26.0	1 ¹ / ₃₂	6.71
----------	-----	---------------------------------	------	--------------------------------	------



M145

M145 162	162	6 ³ / ₈	15.0	19 ¹ / ₃₂	2.54
M145 170	170	6 ¹¹ / ₁₆	15.0	19 ¹ / ₃₂	2.80



M146

M146 163	163	6 ²⁷ / ₆₄	28.0	1 ⁷ / ₆₄	5.11
----------	-----	---------------------------------	------	--------------------------------	------



M151

M151 205	205	8 ⁵ / ₆₄	16.0	5 ¹ / ₈	3.97
----------	-----	--------------------------------	------	-------------------------------	------



OTR PATTERN

CODE	宽度		沟深		重量	
	WIDTH		TREAD DEPTH		TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
M103	M103 470	470	18 1/2	38	1 1/2	18.38
	M103 520	520	20 15/32	38	1 1/2	20.40

M280	M280 240	240	9 29/64	25.0	63/64	7.14
	M280 260	260	10 15/64	25.0	63/64	7.77
	M280 305	305	12 1/64	13.0	33/64	4.98
	M280 420	420	16 17/32	60.0	2 23/64	29.5

M301	M301 300	300	11 13/16	32.0	1 17/64	8.63
	M301 318	318	12 33/64	32.0	1 17/64	9.63
	M301 340	340	13 25/64	32.0	1 17/64	10.36
	M301 394	394	15 33/64	32.0	1 17/64	11.50
	M301 610	610	24 1/64	44.5	1 3/4	21.28

M302	M302 248	248	9 49/64	29.0	1 9/64	7.53
	M302 270	270	10 5/8	29.0	1 9/64	8.29


M303	M303 390	390	15 23/64	46.0	1 13/16	18.74
	M303 435	435	17 1/8	46.0	1 13/16	20.76

CODE	宽度		沟深		重量	
	WIDTH		TREAD DEPTH		TREAD WEIGHT	
	mm	inch	mm	inch	kg/m	
M305	M305 308	308	12 1/8	26.0	1 1/32	9.44

M306	M306 310	310	12 13/64	27.0	1 1/16	9.92
	M306 420	420	16 17/32	40.0	1 37/64	20.0

M307	M307 660	660	25 63/64	47.5	1 7/8	27.9
------	----------	-----	----------	------	-------	------

M308	M308 450	450	17 23/32	36.0	1 27/64	16.8
------	----------	-----	----------	------	---------	------



WING PATTERN

CODE	宽度 WIDTH		沟深 TREAD DEPTH		重量 TREAD WEIGHT
	mm	inch	mm	inch	kg/m



M104

M104 250W	250	9 ²⁷ / ₃₂	20.0	²⁵ / ₃₂	5.60
-----------	-----	---------------------------------	------	-------------------------------	------



M116

M116 240W	240	9 ²⁹ / ₆₄	19.0	³ / ₄	5.32
M116 250W	250	9 ²⁷ / ₃₂	19.0	³ / ₄	5.54



M121

M121 225W	225	8 ⁵⁵ / ₆₄	22.0	⁵⁵ / ₆₄	5.27
M121 255W	255	10 ³ / ₆₄	22.0	⁵⁵ / ₆₄	5.96



M120

M120 250W	250	9 ²⁷ / ₃₂	21.0	⁵³ / ₆₄	5.64
-----------	-----	---------------------------------	------	-------------------------------	------

Please note: For approximate tread weight allow +-3% Commercial Tolerance



CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
	mm	inch	mm	inch	



M135

M135 230W	230	9 1/16	16.0	5/8	4.26
M135 240W	240	9 29/64	16.0	5/8	4.38
M135 250W	250	9 27/32	16.0	5/8	4.50



M140

M140 250W	250	9 27/32	18.0	45/64	5.05
-----------	-----	---------	------	-------	------



M143

M143 250W	250	9 27/32	16.0	5/8	4.83
-----------	-----	---------	------	-----	------



M144

M144 250W	250	9 27/32	17.0	43/64	4.92
-----------	-----	---------	------	-------	------



CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
	mm	inch	mm	inch	



M157

M157 240W	240	9 29/64	19.0	3/4	5.28
M157 250W	250	9 27/32	19.0	3/4	5.51



M158

M158 295W	295	11 39/64	14.0	35/64	5.23
M158 310W	310	12 13/64	14.0	35/64	5.49



M160

M160 250W	250	9 27/32	20.0	25/32	5.64
M160 260W	260	10 15/64	20.0	25/32	5.90



馬膠工業有限公司
MAXRUBBER INDUSTRIES SDN. BHD.

ECLIPSE.M102E



馬膠工業有限公司
MAXRUBBER INDUSTRIES SDN. BHD.

ECLIPSE.M155



BENEFITS



- Eliminating shoulder lifting when on road running.
- Avoid unnecessary rework due to unperfected curing of shoulder line.
- Avoid any penalty from
 - Good finishing after curing.




BENEFITS



- Eliminating shoulder lifting when on road running.
- Avoid unnecessary rework due to unperfected curing of shoulder line.
- Avoid any penalty from
 - Good finishing after curing.

M102




CODE	宽度 WIDTH		沟深 TREAD DEPTH	
	mm	inch	mm	inch
M102 190E	190	7 ³¹ / ₆₄	12.0	¹⁵ / ₃₂
M102 210E	210	8 ¹⁷ / ₆₄	12.0	¹⁵ / ₃₂

Please note: For approximate tread weight allow +-3% Commercial Tolerance



M155



CODE	宽度 WIDTH		沟深 TREAD DEPTH	
	mm	inch	mm	inch
M155 210	210	8 ¹⁷ / ₆₄	14.5	³⁷ / ₆₄
M155 220	220	8 ²¹ / ₃₂	14.5	³⁷ / ₆₄
M155 230	230	9 ¹ / ₁₆	18.0	⁴⁵ / ₆₄
M155B 230	230	9 ¹ / ₁₆	15.0	¹⁹ / ₃₂
M155 240	240	9 ²⁹ / ₆₄	18.0	⁴⁵ / ₆₄
M155 250	250	9 ²⁷ / ₃₂	15.5	³⁹ / ₆₄

Please note: For approximate tread weight allow +-3% Commercial Tolerance





NON STAINING

- Ideal for indoor/outdoor epoxy flooring that requires excellent grip minus the stains.
- Reduce production floor maintenance, repair and cleaning cost.
- Esthetic look, feel and design
- Available in 2 colours - Beige Cream and Grey

Tread Width (mm)	Tyre Size	Tread Width (mm)	Tyre Size	Tread Width (mm)	Tyre Size	Tread Width (mm)	Tyre Size	Tread Width (mm)	Tyre Size	Tread Width (mm)	Tyre Size	Tread Width (mm)	Tyre Size													
120	5.6 R12	160	R16	180	R16	200	R16	215	R16	220	R16	245	R22.5													
			R14		R14		R14		R14		R24															
	155 R14		R16		R16		R16		R16		R16		R16	R16	R16	R16	R16	R16	R16	R16						
			R16		R16		R16		R16		R16		R16	R16	R16	R16	R16	R16	R16	R16						
	6.00 R20		R16		R16		R16		R16		R16		R16	R16	R16	R16	R16	R16	R16	R16						
			R20		R20		R20		R20		R20		R20	R20	R20	R20	R20	R20	R20	R20						
	130		6.70 R13		160		R14		180		R14		200	R14	215	R14	220	R14	245	R22.5						
							R14				R14			R14		R14		R24								
			6.50 R14				R14				R14			R14		R14		R14		R14	R14	R14	R14	R14	R14	R14
							R14				R14			R14		R14		R14		R14	R14	R14	R14	R14	R14	R14
6.70 R15		R15	R15	R15		R15	R15	R15		R15	R15	R15		R15		R15		R15		R15						
		R15	R15	R15		R15	R15	R15		R15	R15	R15		R15		R15		R15		R15						
6.50 R16		R16	R16	R16		R16	R16	R16		R16	R16	R16		R16		R16		R16		R16						
		R16	R16	R16		R16	R16	R16		R16	R16	R16		R16		R16		R16		R16						
140		6.70 R13	160	R16		180	R16	200		R16	215	R16		220		R16		245		R22.5						
				R14			R14			R14		R14				R24										
	1.75 R14	R14		R14	R14		R14		R14	R14		R14	R14		R14	R14	R14		R14							
		R14		R14	R14		R14		R14	R14		R14	R14		R14	R14	R14		R14							
	1.85 R14	R14		R14	R14		R14		R14	R14		R14	R14		R14	R14	R14		R14	R14						
		R14		R14	R14		R14		R14	R14		R14	R14		R14	R14	R14		R14	R14						
	6.70 R14	R14		R14	R14		R14		R14	R14		R14	R14		R14	R14	R14		R14	R14						
		R14		R14	R14		R14		R14	R14		R14	R14		R14	R14	R14		R14	R14						
	6.70 R15	R15		R15	R15		R15		R15	R15		R15	R15		R15	R15	R15		R15	R15						
		R15		R15	R15		R15		R15	R15		R15	R15		R15	R15	R15		R15	R15						
150	6.70 R15	160	R16	180	R16	200	R16	215	R16	220	R16	245	R22.5													
			R16		R16		R16		R16		R24															
	7.00 R15		R16		R16		R16		R16		R16		R16	R16	R16	R16	R16	R16	R16							
			R16		R16		R16		R16		R16		R16	R16	R16	R16	R16	R16	R16							
	7.00 R16		R16		R16		R16		R16		R16		R16	R16	R16	R16	R16	R16	R16	R16						
			R16		R16		R16		R16		R16		R16	R16	R16	R16	R16	R16	R16	R16						
	7.00 R17.5		R17.5		R17.5		R17.5		R17.5		R17.5		R17.5	R17.5	R17.5	R17.5	R17.5	R17.5	R17.5	R17.5						
			R17.5		R17.5		R17.5		R17.5		R17.5		R17.5	R17.5	R17.5	R17.5	R17.5	R17.5	R17.5	R17.5						
	7.00 R19.5		R19.5		R19.5		R19.5		R19.5		R19.5		R19.5	R19.5	R19.5	R19.5	R19.5	R19.5	R19.5	R19.5						
			R19.5		R19.5		R19.5		R19.5		R19.5		R19.5	R19.5	R19.5	R19.5	R19.5	R19.5	R19.5	R19.5						
7.00 R20	R20	R20	R20	R20	R20	R20	R20	R20	R20	R20	R20	R20	R20													
	R20	R20	R20	R20	R20	R20	R20	R20	R20	R20	R20	R20	R20													

