



MAXRUBBER INDUSTRIES SDN. BHD.

A Reputable Tyre Retread Materials Manufacturer

*Get A **BETTER START** With
Better Miles Satisfaction*



CERTIFIED TO: 1208



CERTIFIED TO: 1097



CERTIFIED TO: 1348



CERT No: 1010013Q



QS02032013 CB 13
ISO 9001:2015



Contents

- 1 About Us
- 2 Vision & Mission
- 3 Tyre Retreading Materials

PRODUCTS

-  **RIB Pattern**
-  **Semi RIB/LUG Pattern**
-  **LUG Pattern**
-  **OTR Pattern**
-  **Wing Pattern**
-  **Eclipse**
-  **Non Staining**
- 32 Tyre Size Table

ABOUT US



rubber masterbatch and tailored-made rubber compound which are produced for domestic and foreign customers.

In order to achieve consistent and reliable quality, every step of manufacturing process is carefully regulated ranging from purchasing of raw material, mixing and extrusion process, moulding, tread design to packaging. In its continuous effort to strive for improvement, MRI had obtained the award of ISO 9001:2000 in the year 2005 on its quality management system.



Pre-cured Tread Liner design and rubber compound specifically formulated using finest ingredients to maximize on-the-road performance and safety at lowest cost per kilometer. It is the preferred choice by the most elite fleet managers that pursue continuous cost saving and top quality performance retread.

- Stringent and High Quality Control System
- In Accordance to International Standard
- Ensuring Reliability, Safety and Good Mileage



VISION

To be a caring and responsible organization to its employees, customer and shareholders

MISSION

Employee

Taking care of their general well-being and continuously upgrading and developing their skills.

Customers

Consistently providing quality products commensurate with fair price and prompt services.

Shareholders

Ensuring consistently fair return to their investment.


Safety

Committed to ensuring the safety of the products and for the workers.

TYRE RETREADING MATERIALS



Sidewall Veneer




Camelback (Truck/OTR)



Cushion Gum



Orbitread Strip




Masterbatch



Repair Rope

Tyre Tread Patterns



RIB Pattern




Semi RIB/LUG Pattern



LUG Pattern



OTR Pattern



Wing Pattern



Eclipse



Non Staining

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M101	M101 198	198	7 ⁵¹ / ₆₄	20.0	²⁵ / ₃₂	4.51
	M101 215	215	8 ¹⁵ / ₃₂	20.0	²⁵ / ₃₂	4.88
	M101 220B	220	8 ²¹ / ₃₂	16.0	⁵ / ₈	4.49
	M101 230	230	9 ¹ / ₁₆	21.0	⁵³ / ₆₄	5.14
	M101 240	240	9 ²⁹ / ₆₄	21.0	⁵³ / ₆₄	5.47
	M101 252	252	9 ⁵⁹ / ₆₄	22.0	⁵⁵ / ₆₄	6.04

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M102	M102 150	150	5 ²⁹ / ₃₂	13.0	³³ / ₆₄	2.58
	M102 180	180	7 ³ / ₃₂	14.0	³⁵ / ₆₄	2.89
	M102 194	194	7 ⁴¹ / ₆₄	15.0	¹⁹ / ₃₂	3.36
	M102 203	203	7 ⁶³ / ₆₄	16.0	⁵ / ₈	3.30
	M102 210	210	8 ¹⁷ / ₆₄	16.0	⁵ / ₈	3.79
	M102 215	215	8 ¹⁵ / ₃₂	16.0	⁵ / ₈	4.00
	M102 220	220	8 ²¹ / ₃₂	15.0	¹⁹ / ₃₂	3.90
	M102 230	230	9 ¹ / ₁₆	16.0	⁵ / ₈	4.19
	M102 240	240	9 ²⁹ / ₆₄	15.0	¹⁹ / ₃₂	4.09
	M102 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.16
	M102 258	258	10 ⁵ / ₃₂	16.0	⁵ / ₈	4.53

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M103	M103 198	198	7 ⁵¹ / ₆₄	23.0	²⁹ / ₃₂	4.75
	M103 205	205	8 ⁵ / ₆₄	25.0	⁶³ / ₆₄	5.10
	M103 220	220	8 ²¹ / ₃₂	25.0	⁶³ / ₆₄	5.64
	M103B 220	220	8 ²¹ / ₃₂	21.0	⁵³ / ₆₄	4.63
	M103 240	240	9 ²⁹ / ₆₄	23.0	²⁹ / ₃₂	5.83
	M103 250	250	9 ²⁷ / ₃₂	25.0	⁶³ / ₆₄	6.14

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M104	M104 218	218	8 $\frac{37}{64}$	17.0	$\frac{43}{64}$	4.05
	M104 230	230	9 $\frac{1}{16}$	17.0	$\frac{43}{64}$	4.54
	M104 240	240	9 $\frac{29}{64}$	17.0	$\frac{43}{64}$	4.61
	M104 250	250	9 $\frac{27}{32}$	17.0	$\frac{43}{64}$	4.50

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M105	M105 142	142	5 $\frac{19}{32}$	12.0	$\frac{15}{32}$	1.95
	M105 152	152	5 $\frac{63}{64}$	13.0	$\frac{33}{64}$	2.28
	M105 162	162	6 $\frac{3}{8}$	13.0	$\frac{33}{64}$	2.47

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M106	M106 198	198	7 $\frac{51}{64}$	22.0	$\frac{55}{64}$	4.90
	M106 205	205	8 $\frac{5}{64}$	21.0	$\frac{53}{64}$	5.15

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M107	M107 195	195	7 ⁴³ / ₆₄	18.0	⁴⁵ / ₆₄	4.04
	M107 205	205	8 ⁵ / ₆₄	17.0	⁴³ / ₆₄	3.88
	M107 215	215	8 ¹⁵ / ₃₂	20.0	²⁵ / ₃₂	5.06
	M107 230	230	9 ¹ / ₁₆	22.0	⁵⁵ / ₆₄	5.30
	M107 240	240	9 ²⁹ / ₆₄	20.0	²⁵ / ₃₂	5.31
	M107 250	250	9 ²⁷ / ₃₂	20.0	²⁵ / ₃₂	5.40
 M108	M108 142	142	5 ¹⁹ / ₃₂	13.0	³³ / ₆₄	2.25
	M108 152	152	5 ⁶³ / ₆₄	14.0	³⁵ / ₆₄	2.45
	M108 160	160	6 ¹⁹ / ₆₄	14.0	³⁵ / ₆₄	2.54
	M108 170	170	6 ¹¹ / ₁₆	14.0	³⁵ / ₆₄	2.95
	M108 180	180	7 ³ / ₃₂	15.0	¹⁹ / ₃₂	3.08
	M108 194	194	7 ⁴¹ / ₆₄	17.0	⁴³ / ₆₄	3.62
	M108 194B	194B	7 ⁴¹ / ₆₄	15.0	¹⁹ / ₃₂	3.32
	M108 205	205	8 ⁵ / ₆₄	17.0	⁴³ / ₆₄	3.77
	M108 210	210	8 ¹⁷ / ₆₄	16.0	⁵ / ₈	3.70
	M108 215	215	8 ¹⁵ / ₃₂	16.0	⁵ / ₈	3.66
	M108 230	230	9 ¹ / ₁₆	16.0	⁵ / ₈	3.87
	M108 240	240	9 ²⁹ / ₆₄	16.0	⁵ / ₈	4.17
	M108 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.41
 M109	M109 180	180	7 ³ / ₃₂	15.0	¹⁹ / ₃₂	2.79
	M109 195	195	7 ⁴³ / ₆₄	17.0	⁴³ / ₆₄	3.63
	M109B 195	195	7 ⁴³ / ₆₄	15.0	¹⁹ / ₃₂	2.91
	M109 208	208	8 ³ / ₁₆	16.0	⁵ / ₈	3.36
	M109B 208	208	8 ³ / ₁₆	15.0	¹⁹ / ₃₂	3.06
	M109 216	216	8 ¹ / ₂	15.5	³⁹ / ₆₄	3.76
	M109 230	230	9 ¹ / ₁₆	16.0	⁵ / ₈	4.09
	M109B 230	230	9 ¹ / ₁₆	15.5	³⁹ / ₆₄	3.59
	M109B 240	240	9 ²⁹ / ₆₄	15.5	³⁹ / ₆₄	3.73

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M110	M110 194	194	7 ⁴¹ / ₆₄	16.0	⁵ / ₈	3.53
	M110 215	215	8 ¹⁵ / ₃₂	16.0	⁵ / ₈	3.96
	M110 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.37

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M111	M111 127	127	5	11.0	⁷ / ₁₆	1.71
	M111 142	142	5 ¹⁹ / ₃₂	11.0	⁷ / ₁₆	2.10
	M111 152	152	5 ⁶³ / ₆₄	11.0	⁷ / ₁₆	2.17
	M111 163	163	6 ²⁷ / ₆₄	12.0	¹⁵ / ₃₂	2.40
	M111 170	170	6 ¹¹ / ₁₆	13.0	³³ / ₆₄	2.87
	M111 180	180	7 ³ / ₃₂	13.0	³³ / ₆₄	2.73
	M111 195	195	7 ⁴³ / ₆₄	13.0	³³ / ₆₄	3.16
	M111 203	203	7 ⁶³ / ₆₄	13.0	³³ / ₆₄	3.22
	M111 215	215	8 ¹⁵ / ₃₂	14.5	³⁷ / ₆₄	4.01

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M112	M112 216	216	8 ¹ / ₂	19.0	³ / ₄	4.73
	M112 230	230	9 ¹ / ₁₆	19.0	³ / ₄	4.87
	M112B 230	230	9 ¹ / ₁₆	17.0	⁴³ / ₆₄	4.45
	M112 240	240	9 ²⁹ / ₆₄	19.0	³ / ₄	5.06
	M112B 240	240	9 ²⁹ / ₆₄	17.0	⁴³ / ₆₄	4.64
	M112 250	250	9 ²⁷ / ₃₂	19.0	³ / ₄	5.14
	M112B 250	250	9 ²⁷ / ₃₂	17.0	⁴³ / ₆₄	4.83
	M112 260	260	10 ¹⁵ / ₆₄	19.0	³ / ₄	5.05

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M113	M113 220	220	8 ²¹ / ₃₂	16.0	⁵ / ₈	3.69
	M113 232	232	9 ⁹ / ₆₄	17.0	⁴³ / ₆₄	4.10
	M113 242	242	9 ¹⁷ / ₃₂	16.0	⁵ / ₈	4.16
	M113 252	252	9 ⁵⁹ / ₆₄	17.0	⁴³ / ₆₄	4.35

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M115	M115 203	203	7 ⁶³ / ₆₄	12.0	¹⁵ / ₃₂	3.17
	M115 220	220	8 ²¹ / ₃₂	12.0	¹⁵ / ₃₂	3.45
	M115 230	230	9 ¹ / ₁₆	12.0	¹⁵ / ₃₂	3.60

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M116	M116B 210	210	8 ¹⁷ / ₆₄	19.0	³ / ₄	4.47
	M116 220	220	8 ²¹ / ₃₂	17.0	⁴³ / ₆₄	4.28
	M116B 220	220	8 ²¹ / ₃₂	20.0	²⁵ / ₃₂	5.08
	M116 230	230	9 ¹ / ₁₆	17.0	⁴³ / ₆₄	4.50
	M116B 230	230	9 ¹ / ₁₆	20.0	²⁵ / ₃₂	5.21
	M116 240	240	9 ²⁹ / ₆₄	17.0	⁴³ / ₆₄	4.75
	M116B 240	240	9 ²⁹ / ₆₄	20.0	²⁵ / ₃₂	5.57
	M116 250	250	9 ²⁷ / ₃₂	17.0	⁴³ / ₆₄	4.78
	M116B 250	250	9 ²⁷ / ₃₂	20.0	²⁵ / ₃₂	5.83

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M119	M119 210	210	8 ¹⁷ / ₆₄	16.0	⁵ / ₈	3.64
	M119 220	220	8 ²¹ / ₃₂	16.0	⁵ / ₈	3.85
	M119 230	230	9 ¹ / ₁₆	19.0	³ / ₄	4.86
	M119 240	240	9 ²⁹ / ₆₄	19.0	³ / ₄	4.96
	M119 250	250	9 ²⁷ / ₃₂	19.0	³ / ₄	5.16
	M119 260	260	10 ¹⁵ / ₆₄	19.0	³ / ₄	5.12
	M119 270	270	10 ⁵ / ₈	19.0	³ / ₄	5.57
	M119 280	280	11 ¹ / ₃₂	20.0	²⁵ / ₃₂	5.94

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M120	M120 230S	230	9 ¹ / ₁₆	19.0	³ / ₄	4.80
	M120B 230S	230	9 ¹ / ₁₆	15.0	¹⁹ / ₃₂	4.15
	M120 240S	240	9 ²⁹ / ₆₄	20.0	²⁵ / ₃₂	5.11
	M120B 240S	240	9 ²⁹ / ₆₄	15.0	¹⁹ / ₃₂	4.26
	M120 250	250	9 ²⁷ / ₃₂	23.0	²⁹ / ₃₂	5.72
	M120 250S	250	9 ²⁷ / ₃₂	20.0	²⁵ / ₃₂	5.19
	M120B 250S	250	9 ²⁷ / ₃₂	15.0	¹⁹ / ₃₂	4.37
	M120 260S	260	10 ¹⁵ / ₆₄	20.0	²⁵ / ₃₂	5.49
	M120B 260S	260	10 ¹⁵ / ₆₄	15.0	¹⁹ / ₃₂	4.47

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M121	M121 225	225	8 ⁵⁵ / ₆₄	23.0	²⁹ / ₃₂	5.26
	M121 240	240	9 ²⁹ / ₆₄	23.0	²⁹ / ₃₂	5.71
	M121 250	250	9 ²⁷ / ₃₂	23.0	²⁹ / ₃₂	6.01
	M121 260	260	10 ¹⁵ / ₆₄	23.0	²⁹ / ₃₂	6.13

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M122	M122 210	210	8 ¹⁷ / ₆₄	14.0	³⁵ / ₆₄	3.58
	M122 220	220	8 ²¹ / ₃₂	14.0	³⁵ / ₆₄	3.64
	M122 230	230	9 ¹ / ₁₆	14.0	³⁵ / ₆₄	3.92
	M122 240	240	9 ²⁹ / ₆₄	14.0	³⁵ / ₆₄	4.17
	M122 250	250	9 ²⁷ / ₃₂	14.0	³⁵ / ₆₄	4.25
	M122 260	260	10 ¹⁵ / ₆₄	15.0	¹⁹ / ₃₂	4.75

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M125	M125 216	216	8 ¹ / ₂	15.0	¹⁹ / ₃₂	3.79
	M125 230	230	9 ¹ / ₁₆	15.0	¹⁹ / ₃₂	4.07

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M128	M128 203	203	7 ⁶³ / ₆₄	18.0	⁴⁵ / ₆₄	3.92
	M128 220	220	8 ²¹ / ₃₂	18.0	⁴⁵ / ₆₄	4.12
	M128 230	230	9 ¹ / ₁₆	18.0	⁴⁵ / ₆₄	4.27

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	



M130

M130 210	210	8 ¹⁷ / ₆₄	17.0	⁴³ / ₆₄	4.03
M130 216	216	8 ¹ / ₂	17.0	⁴³ / ₆₄	4.17
M130 230	230	9 ¹ / ₁₆	17.0	⁴³ / ₆₄	4.44
M130 240	240	9 ²⁹ / ₆₄	17.0	⁴³ / ₆₄	4.51
M130 250	250	9 ²⁷ / ₃₂	17.0	⁴³ / ₆₄	4.76

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	



M132

M132 210	210	8 ¹⁷ / ₆₄	19.0	³ / ₄	4.32
M132 220	220	8 ²¹ / ₃₂	19.0	³ / ₄	4.33
M132 230	230	9 ¹ / ₁₆	19.0	³ / ₄	4.63
M132 240	240	9 ²⁹ / ₆₄	19.0	³ / ₄	4.79
M132 250	250	9 ²⁷ / ₃₂	18.0	⁴⁵ / ₆₄	5.23

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	



M133

M133 216	216	8 ¹ / ₂	20.0	²⁵ / ₃₂	4.41
M133 230	230	9 ¹ / ₁₆	20.0	²⁵ / ₃₂	4.84

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
	M135					
	M135 210	210	8 $\frac{17}{32}$	16.0	$\frac{5}{8}$	3.93
	M135 218	218	8 $\frac{37}{64}$	14.0	$\frac{35}{64}$	3.56
	M135 220	220	8 $\frac{21}{32}$	15.0	$\frac{19}{32}$	3.74
	M135 226	226	8 $\frac{57}{64}$	14.0	$\frac{35}{64}$	3.63
	M135 230	230	9 $\frac{1}{16}$	15.0	$\frac{19}{32}$	4.04
	M135 240	240	9 $\frac{29}{64}$	15.0	$\frac{19}{32}$	4.19
	M135 250	250	9 $\frac{27}{32}$	16.0	$\frac{5}{8}$	4.51
	M135 258	258	10 $\frac{5}{32}$	16.0	$\frac{5}{8}$	4.69
	M135 270	270	10 $\frac{5}{8}$	16.0	$\frac{5}{8}$	5.03

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
	M136					
	M136 194	194	7 $\frac{41}{64}$	13.0	$\frac{33}{64}$	3.12
	M136 203	203	7 $\frac{63}{64}$	13.0	$\frac{33}{64}$	3.32
	M136 219	219	8 $\frac{5}{8}$	13.0	$\frac{33}{64}$	3.65
	M136 240	240	9 $\frac{29}{64}$	15.0	$\frac{19}{32}$	4.36
	M136B 240	240	9 $\frac{29}{64}$	18.0	$\frac{45}{64}$	4.96
	M136 260	260	10 $\frac{15}{64}$	15.0	$\frac{19}{32}$	4.88

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
	M138					
	M138 194	194	7 $\frac{41}{64}$	14.0	$\frac{35}{64}$	2.83
	M138 210	210	8 $\frac{17}{64}$	14.0	$\frac{35}{64}$	3.39

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	

**M141**

M141 250	250	9 ²⁷ / ₃₂	26.0	1 ¹ / ₃₂	6.71
----------	-----	---------------------------------	------	--------------------------------	------

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	

**M143**

M143 210	210	8 ¹⁷ / ₆₄	16.0	⁵ / ₈	3.87
M143B 210	210	8 ¹⁷ / ₆₄	14.0	³⁵ / ₆₄	3.63
M143 220	220	8 ²¹ / ₃₂	16.0	⁵ / ₈	4.03
M143B 220	220	8 ²¹ / ₃₂	14.0	³⁵ / ₆₄	3.85
M143 230	230	9 ¹ / ₁₆	16.0	⁵ / ₈	4.41
M143B 230	230	9 ¹ / ₁₆	14.0	³⁵ / ₆₄	3.96
M143 245	245	9 ⁴¹ / ₆₄	16.0	⁵ / ₈	4.58
M143 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.77
M143 250W	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.83
M143 260	260	10 ¹⁵ / ₆₄	16.0	⁵ / ₈	4.83

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	

**M144**

M144 195	195	7 ⁴³ / ₆₄	16.0	⁵ / ₈	3.66
M144 210	210	8 ¹⁷ / ₆₄	16.0	⁵ / ₈	4.13
M144 220	220	8 ²¹ / ₃₂	18.0	⁴⁵ / ₆₄	4.28
M144 230	230	9 ¹ / ₁₆	18.0	⁴⁵ / ₆₄	4.45
M144 240	240	9 ²⁹ / ₆₄	18.0	⁴⁵ / ₆₄	4.70
M144 250	250	9 ²⁷ / ₃₂	18.0	⁴⁵ / ₆₄	4.88
M144 270	270	10 ⁵ / ₈	18.0	⁴⁵ / ₆₄	5.28

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M145

M145 162	162	6 $\frac{3}{8}$	15.0	$\frac{19}{32}$	2.54
M145 170	170	6 $\frac{11}{16}$	15.0	$\frac{19}{32}$	2.80

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M146

M146 163	163	6 $\frac{27}{64}$	28.0	$1 \frac{7}{64}$	5.11
----------	-----	-------------------	------	------------------	------

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M148

M148 219	219	8 $\frac{5}{8}$	19.0	$\frac{3}{4}$	4.60
M148 241	241	9 $\frac{31}{64}$	19.0	$\frac{3}{4}$	5.13
M148 266	266	10 $\frac{15}{32}$	19.0	$\frac{3}{4}$	5.62

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M149	M149 203	203	7 ⁶³ / ₆₄	17.0	⁴³ / ₆₄	4.01
	M149 220	220	8 ²¹ / ₃₂	17.0	⁴³ / ₆₄	4.19
	M149 230	230	9 ¹ / ₁₆	17.0	⁴³ / ₆₄	4.39

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M150	M150 205	205	8 ⁵ / ₆₄	14.0	³⁵ / ₆₄	3.50

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M151	M151 205	205	8 ⁵ / ₆₄	16.0	⁵ / ₈	3.97

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M152

M152 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.47
M152B 250	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.75

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M153

M153 180	180	7 ³ / ₃₂	15.0	¹⁹ / ₃₂	3.10
M153 195	195	7 ⁴³ / ₆₄	15.0	¹⁹ / ₃₂	3.29
M153 210	210	8 ¹⁷ / ₆₄	15.0	¹⁹ / ₃₂	3.31

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M154

M154 220	220	8 ²¹ / ₃₂	19.0	³ / ₄	4.68
M154 230	230	9 ¹ / ₁₆	19.0	³ / ₄	4.77

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M156	M156B 230	230	9 ¹ / ₁₆	18.0	⁴⁵ / ₆₄	4.67
	M156B 240	240	9 ²⁹ / ₆₄	18.0	⁴⁵ / ₆₄	4.91
	M156B 250	250	9 ²⁷ / ₃₂	18.0	⁴⁵ / ₆₄	5.00
	M156 258	258	10 ⁵ / ₃₂	22.0	⁵⁵ / ₆₄	6.23

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M157	M157B 220	220	8 ²¹ / ₃₂	19.0	³ / ₄	4.33
	M157B 230	230	9 ¹ / ₁₆	19.0	³ / ₄	4.52
	M157B 240	240	9 ²⁹ / ₆₄	19.0	³ / ₄	4.63
	M157B 250	250	9 ²⁷ / ₃₂	19.0	³ / ₄	4.75
	M157 270	270	10 ⁵ / ₈	20.0	²⁵ / ₃₂	6.06
	M157 280	280	11 ¹ / ₃₂	20.0	²⁵ / ₃₂	6.50

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M159	M159 262	262	10 ⁵ / ₁₆	21.0	⁵³ / ₆₄	6.07
	M159 272	272	10 ⁴⁵ / ₆₄	21.0	⁵³ / ₆₄	6.22
	M159 282	282	11 ⁷ / ₆₄	21.0	⁵³ / ₆₄	6.38

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M161

M161 180	180	7 ³ / ₃₂	9.0	23 ³ / ₆₄	2.29
----------	-----	--------------------------------	-----	---------------------------------	------

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M162

M162 203	203	7 ⁶³ / ₆₄	9.0	23 ³ / ₆₄	2.77
M162 220	220	8 ²¹ / ₃₂	9.0	23 ³ / ₆₄	3.02
M162 230	230	9 ¹ / ₁₆	9.0	23 ³ / ₆₄	3.08

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M163

M163 230	230	9 ¹ / ₁₆	22.0	55 ⁵ / ₆₄	5.22
M163 240	240	9 ²⁹ / ₆₄	22.0	55 ⁵ / ₆₄	5.55
M163 250	250	9 ²⁷ / ₃₂	22.0	55 ⁵ / ₆₄	5.71
M163 260	260	10 ¹⁵ / ₆₄	22.0	55 ⁵ / ₆₄	5.83

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M164	M164 142	142	5 ¹⁹ / ₃₂	14.0	³⁵ / ₆₄	2.41
	M164 152	152	5 ⁶³ / ₆₄	15.0	¹⁹ / ₃₂	2.33
	M164 160	160	6 ¹⁹ / ₆₄	15.0	¹⁹ / ₃₂	2.79
	M164 180	180	7 ³ / ₃₂	17.0	⁴³ / ₆₄	3.48
	M164 190	190	7 ³¹ / ₆₄	17.0	⁴³ / ₆₄	3.70

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M165	M165 240	240	9 ²⁹ / ₆₄	20.0	²⁵ / ₃₂	5.34
	M165 250	250	9 ²⁷ / ₃₂	20.0	²⁵ / ₃₂	5.52

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M166	M166 385	385	15 ⁵ / ₃₂	10.0	²⁵ / ₆₄	5.70

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M167	M167 190	190	7 ³¹ / ₆₄	15.0	19 ¹ / ₃₂	4.05

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M168	M168 190	190	7 ³¹ / ₆₄	15.0	19 ¹ / ₃₂	2.71
	M168 215	215	8 ¹⁵ / ₃₂	15.0	19 ¹ / ₃₂	3.06

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M169	M169 230	230	9 ¹ / ₁₆	17.0	43 ³ / ₆₄	4.94
	M169 240	240	9 ²⁹ / ₆₄	17.0	43 ³ / ₆₄	5.15
	M169 250	250	9 ²⁷ / ₃₂	18.5	47 ³ / ₆₄	5.52

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	

**M170**

M170 325	325	12 ⁵¹ / ₆₄	19.0	3 ³ / ₄	6.60
----------	-----	----------------------------------	------	-------------------------------	------

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	

**M201**

M201 160	160	6 ¹⁹ / ₆₄	17.0	43 ³ / ₆₄	3.07
----------	-----	---------------------------------	------	---------------------------------	------

M201 170	170	6 ¹¹ / ₁₆	17.0	43 ³ / ₆₄	3.15
----------	-----	---------------------------------	------	---------------------------------	------

M201 180	180	7 ³ / ₃₂	17.0	43 ³ / ₆₄	3.49
----------	-----	--------------------------------	------	---------------------------------	------

M201 190	190	7 ³¹ / ₆₄	17.0	43 ³ / ₆₄	3.61
----------	-----	---------------------------------	------	---------------------------------	------

M201 200	200	7 ⁷ / ₈	17.0	43 ³ / ₆₄	3.71
----------	-----	-------------------------------	------	---------------------------------	------

M201 206	206	8 ⁷ / ₆₄	18.0	45 ³ / ₆₄	4.07
----------	-----	--------------------------------	------	---------------------------------	------

M201 220	220	8 ²¹ / ₃₂	18.0	45 ³ / ₆₄	4.40
----------	-----	---------------------------------	------	---------------------------------	------

M201 230	230	9 ¹ / ₁₆	18.0	45 ³ / ₆₄	4.69
----------	-----	--------------------------------	------	---------------------------------	------

M201 240	240	9 ²⁹ / ₆₄	18.0	45 ³ / ₆₄	4.82
----------	-----	---------------------------------	------	---------------------------------	------

M201 250	250	9 ²⁷ / ₃₂	18.0	45 ³ / ₆₄	4.95
----------	-----	---------------------------------	------	---------------------------------	------

M201 260	260	10 ¹⁵ / ₆₄	18.0	45 ³ / ₆₄	5.13
----------	-----	----------------------------------	------	---------------------------------	------


M201 272	272	10 ⁴⁵ / ₆₄	18.0	45 ³ / ₆₄	5.65
----------	-----	----------------------------------	------	---------------------------------	------

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	

**M219**

M219 220	220	8 ²¹ / ₃₂	17.0	43 ³ / ₆₄	4.07
----------	-----	---------------------------------	------	---------------------------------	------

M219 230	230	9 ¹ / ₁₆	17.0	43 ³ / ₆₄	4.25
----------	-----	--------------------------------	------	---------------------------------	------



	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M104

M104 250W	250	9 ²⁷ / ₃₂	20.0	²⁵ / ₃₂	5.60
-----------	-----	---------------------------------	------	-------------------------------	------

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	



M116

M116 240W	240	9 ²⁹ / ₆₄	19.0	³ / ₄	5.32
M116 250W	250	9 ²⁷ / ₃₂	19.0	³ / ₄	5.54

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M120

M120 250W	250	9 ²⁷ / ₃₂	21.0	⁵³ / ₆₄	5.63
-----------	-----	---------------------------------	------	-------------------------------	------

**M121**


CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
	mm	inch	mm	inch	
M121 225W	225	8 ⁵⁵ / ₆₄	22.0	⁵⁵ / ₆₄	5.27
M121 250W	250	9 ²⁷ / ₃₂	22.0	⁵⁵ / ₆₄	6.14
M121 255W	255	10 ³ / ₆₄	22.0	⁵⁵ / ₆₄	5.96

**M135**

CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
	mm	inch	mm	inch	
M135 230W	230	9 ¹ / ₁₆	16.0	⁵ / ₈	4.26
M135 240W	240	9 ²⁹ / ₆₄	16.0	⁵ / ₈	4.38
M135 250W	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.50

**M140**

CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
	mm	inch	mm	inch	
M140 250W	250	9 ²⁷ / ₃₂	18.0	⁴⁵ / ₆₄	5.05



	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M143

M143 250W	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.83
-----------	-----	---------------------------------	------	-----------------------------	------

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M144

M144 250W	250	9 ²⁷ / ₃₂	17.0	⁴³ / ₆₄	4.92
-----------	-----	---------------------------------	------	-------------------------------	------

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M152

M152B 240W	240	9 ²⁹ / ₆₄	16.0	⁵ / ₈	4.78
M152 250W	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	4.75
M152B 250W	250	9 ²⁷ / ₃₂	16.0	⁵ / ₈	5.09




	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M157	M157 240W	240	9 ²⁹ / ₆₄	19.0	³ / ₄	5.28
	M157 250W	250	9 ²⁷ / ₃₂	19.0	³ / ₄	5.51

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M158	M158 295W	295	11 ³⁹ / ₆₄	14.0	³⁵ / ₆₄	5.23
	M158 310W	310	12 ¹³ / ₆₄	14.0	³⁵ / ₆₄	5.49

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M160	M160 250W	250	9 ²⁷ / ₃₂	20.0	²⁵ / ₃₂	5.64
	M160 260W	260	10 ¹⁵ / ₆₄	20.0	²⁵ / ₃₂	5.90

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M301	M301 300	300	11 ¹³ / ₆₄	32.0	1 ¹⁷ / ₆₄	8.63
	M301 318	318	12 ³³ / ₆₄	32.0	1 ¹⁷ / ₆₄	9.63
	M301 340	340	13 ²⁵ / ₆₄	32.0	1 ¹⁷ / ₆₄	10.36
	M301 394	394	15 ³³ / ₆₄	32.0	1 ¹⁷ / ₆₄	11.50
	M301 610	610	24 ¹ / ₆₄	44.5	1 ³ / ₄	21.28

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M302	M302 248	248	9 ⁴⁹ / ₆₄	29.0	1 ⁹ / ₆₄	7.53
	M302 270	270	10 ⁵ / ₈	29.0	1 ⁹ / ₆₄	8.29
	M302 355	355	13 ³¹ / ₃₂	31.0	1 ⁷ / ₃₂	24.39

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	
 M303	M303 390	390	15 ²³ / ₆₄	46.0	1 ¹³ / ₁₆	18.74
	M303 435	435	17 ¹ / ₈	46.0	1 ¹³ / ₁₆	20.76

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	

**M305**


M305 308	308	12 $\frac{1}{8}$	26.0	1 $\frac{1}{32}$	9.44
----------	-----	------------------	------	------------------	------

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	

**M306**

M306 310	310	12 $\frac{13}{64}$	27.0	1 $\frac{1}{16}$	9.92
M306 420	420	16 $\frac{17}{32}$	40.0	1 $\frac{37}{64}$	20.00
M306 450	450	17 $\frac{23}{32}$	40.0	1 $\frac{37}{64}$	22.05

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	

**M307**


M307 660	660	25 $\frac{63}{64}$	47.5	1 $\frac{7}{8}$	27.9
----------	-----	--------------------	------	-----------------	------

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M308


M308 450	450	17 ²³ / ₃₂	36.0	1 ²⁷ / ₆₄	16.8
----------	-----	----------------------------------	------	---------------------------------	------

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M280

M280 240	240	9 ²⁹ / ₆₄	25.0	⁶³ / ₆₄	7.14
M280 260	260	10 ¹⁵ / ₆₄	25.0	⁶³ / ₆₄	7.77
M280 305	305	12 ¹ / ₆₄	13.0	³³ / ₆₄	4.98
M280 420	420	16 ¹⁷ / ₃₂	60.0	2 ²³ / ₆₄	29.5

	CODE	WIDTH		TREAD DEPTH		TREAD WEIGHT kg/m
		mm	inch	mm	inch	


M103

M103 470	470	18 ¹ / ₂	38	1 ¹ / ₂	18.38
M103 520	520	20 ¹⁵ / ₃₂	38	1 ¹ / ₂	20.40



ECLIPSE.M155


M155

CODE

WIDTH

mm inch

TREAD DEPTH

mm inch

M155 210	210	8 ¹⁷ / ₆₄	14.5	³⁷ / ₆₄
M155 220	220	8 ²¹ / ₃₂	14.5	³⁷ / ₆₄
M155 230	230	9 ¹ / ₁₆	18	⁴⁵ / ₃₂
M155B 230	230	9 ¹ / ₁₆	15	¹⁹ / ₆₄
M155 240	240	9 ²⁹ / ₆₄	18	⁴⁵ / ₆₄
M155 250	250	9 ²⁷ / ₃₂	15.5	³⁹ / ₆₄



BENEFITS

- ▶ Eliminating shoulder lifting when on road running.
- ▶ Avoid unnecessary rework due to unperfected curing of shoulder line.
- ▶ Avoid any penalty from ROAD TRANSPORTATION AUTHORITY.
- ▶ Good finishing after curing.



ECLIPSE.M102E


M102

CODE

WIDTH

mm inch

TREAD DEPTH

mm inch

M102 190E	190	7 ³¹ / ₆₄	12.0	¹⁵ / ₃₂
M102 210E	210	8 ¹⁷ / ₆₄	12.0	¹⁵ / ₃₂






BENEFITS

- ▶ Eliminating shoulder lifting when on road running.
- ▶ Avoid unnecessary rework due to unperfected curing of shoulder line.
- ▶ Avoid any penalty from ROAD TRANSPORTATION AUTHORITY.
- ▶ Good finishing after curing.



NON STAINING



BENEFITS

- ▶ *Ideal for indoor/outdoor epoxy flooring that requires excellent grip minus the stains*
- ▶ *Reduce production floor maintenance, repair and cleaning cost*
- ▶ *Esthetic look, feel and design*
- ▶ *Available in 2 colours - Beige Cream and Grey*

Tyre Size Table

Tread Width (mm)	Tyre Size		Tread Width (mm)	Tyre Size		Tread Width (mm)	Tyre Size	
120	5.6	R 12	160	175/75	R 16	180	215	R 16
	155	R 14		185/75	R 16		215/75	R 16
	165	R 14		195	R 16		8.25	R 16
	6.00	R 16		195/75	R 16		205/75	R 17.5
	6.00	R 20		7.50	R 16		215/75	R 17.5
130		7.50		R 20	8		R 17.5	
		195		R 14	8.5		R 17.5	
		195/75		R 14	9		R 17.5	
		205		R 14	8		R 19.5	
		7.50		R 15	215/75		R 19.5	
		8.25		R 15	8.25		R 20	
		195		R 15	8		R 22.5	
		215		R 15	180	9.00	R 16	
		195		R 16		225/75	R 16	
		195/75		R 16		227/70	R 17.5	
205	R 16	8.8		R 17.5				
205/75	R 16	9		R 17.5				
8.25	R 16	225/75		R 17.5				
205/75	R 17.5	225/70		R 19.5				
8	R 17.5	225/75		R 19.5				
215/75	R 19.5	9		R 19.5				
8	R 22.5	9.00	R 20					
140		165	205	R 14			9.00	R 16
			215	R 14	235/75		R 16	
			215	R 15	9.5		R 17.5	
			205	R 16	225/75		R 17.5	
			205/75	R 16	235/75		R 17.5	
			215	R 16	9.5		R 19.5	
			215/75	R 16	9		R 19.5	
			8.25	R 16	235/70		R 19.5	
			205/75	R 17.5	225/75		R 19.5	
			215/75	R 17.5	9.00		R 20	
			8	R 17.5	9		R 22.5	
		8	R 19.5	200	255/75	R 15		
		8.25	R 20		235/75	R 16		
		8	R 22.5		9.5	R 17.5		
					205	R 14	10	R 17.5
					215	R 14	245/75	R 17.5
					215	R 15	235/70	R 19.5
					205	R 16	245/70	R 19.5
					205/75	R 16		

Tyre Size Table

Tread Width (mm)	Tyre Size	Tread Width (mm)	Tyre Size
210	9.5 R 19.5	240	12/80 R 22.5
	10.00 R 20		12.00 R 24
	10 R 22.5		305/70 R 19.5
	255/75 R 22.5		12.00 R 20
	11.00 R 16		12/80 R 20 (D 20-Pilote)
	10 R 17.5		315/80 R 20
	245/75 R 17.5		12.00 R 22
	265/75 R 19.5		295/70 R 22.5
	10.00 R 20		295/80 R 22.5
	11.00 R 22		12 R 22.5
220	10 R 22.5		13/70 R 22.5
	11 R 22.5		315/75 R 22.5
	11/70 R 22.5		12.00 R 24
	11.00 R 16	245	12/80 R 22.5
	265/70 R 19.5		12.00 R 24
	285/70 R 19.5		12/80 R 20 (D 20-Pilote)
	11.00 R 20 (E 20-Pilote)		13.00 R 20
	12.00 R 20		13/80 R 20
	315/80 R 20		13 R 22.5
	11.00 R 22		13/75 R 22.5
	12.00 R 22		315/70 R 22.5
	275/70 R 22.5		315/80 R 22.5
	275/80 R 22.5	260	13.00 R 20
230	11 R 22.5		13/80 R 20
	11/70 R 22.5		13 R 22.5
	12 R 22.5		13/75 R 22.5
	12/70 R 22.5	265	14/80 R 20 (D 20-Pilote)
	305/70 R 22.5		365/80 R 20
	12/80 R 22.5		287 365/80 R 20
	12.00 R 24		295 365/80 R 22.5
	285/70 R 19.5		300 15 R 22.5
	12.00 R 20		15.5/80 R 20
	315/80 R 20		385/65 R 22.5
	12.00 R 22	320	425/65 R 22.5
	295/70 R 22.5		16.5 R 22.5
	295/80 R 22.5		
	12 R 22.5		
	12/70 R 22.5		
	13/70 R 22.5		
	303/70 R 22.5		
	315/75 R 22.5		

For more information, please visit us @
www.maxrubber.com.my

Tread Pattern Catalogue
(Ver. 5.4)